

Phone: 888-269-8375 | Fax: 888-279-9112 | uswhirlpool.net



US WHIRLPOOL

ABOUT US

U. S. Whirlpool, Inc was founded in 1997 in the metro Atlanta area. Our bathtubs and shower pans are the highest quality ACRYLIC surface backed by fiberglass, far superior to the gelcoated fiberglass and marble tubs.

Today, we carry a full line of acrylic bathtubs, acrylic shower pans, air massage systems, whirlpool systems, shower drains and LED lighting. We take pride in giving our customers excellent products and setting industry standards in service.

Jimmy T. Long, Owner U.S. Whirlpool, Inc.



TUB STYLES

Air Jet Bathtub

An air jet bathtub is the general description of a bathtub built with bubble-making air jets. Each jet has anti-microbial hose to insure no bacteria growth. The system comes with a 1 HP air blower that automatically heats the air to 145 degrees to keep your bath water from cooling off and allowing a more comfortable and longer air therapy session. The jet configuration for air massage systems will contain 18 or 24 jets. The Air Jet Tub includes a timer that automatically comes on 30 minutes after the tub has been stopped. It runs for 5 minutes and dries the air lines. Air massage systems requires a 20Amp GFCI dedicated circuit and an access panel.

Whirlpool Bathtub

A whirlpool bathtub is the general description of a bathtub built with therapeutic water jets. Each whirlpool bathtub will come with 4, 6, 8 or 11 whirlpool jets and a pump. We plumb our whirlpool tubs with ainti-microbial flexible piping. They are self-draining. As with the surface of your tub the piping system needs to be cleaned regularly to prevent buildup. Trim options are standard color matched plastic, chrome, brushed nickel, and venetian bronze (also known as oil rubbed bronze). All of our whirlpool system components are manufactured directly by us in Farmersville, Texas. Trim colors are not guaranteed to match other manufactures. Whirlpool systems requires a 20Amp GFCI dedicated circuit and an access panel.

Soaker Bathtub

A soaker tub is a basic bathtub without air jets or whirlpool jets.

Combination Bathtub

A combination bathtub is built with air and water jets. A combination tub is great for different options in bathing: You can enjoy the stimulation of the air jet bubbles or relax and enjoy the therapeutic massage of the water jets. Combination tubs have recently become a very popular new trend. Each system requires a 20Amp GFCI dedicated circuit and an access panel.




RECTANGULAR




Model BR-17

39"x69"x20" Tub 72 gallons



Model BR-19


32"x60"x19" Oval Tub 54 gallons





Model BR-21

36"x72"x20" Rectangle Tub 72 gallons






RECTANGULAR

Model BR-24


36"x60"x19" Oval Tub 55 gallons






Model BRA-25

36"x60"x19" Armrest Tub 60 gallons



Model BRA-30

30"x60"x19" Armrest Tub 58 gallons









Model BR-32

42"x72"x19" Oval Tub 79 gallons






42"x60"x19" Oval Tub 65 gallons



48"x60"x19½" Tub 75 gallons






Model BR-36


48"x72"x191/4" Tub 105 gallons





Model BR-37


42"x60"x20" Tub 70 gallons








32"x60"x17" Armrest Tub 56 gallons



Model BRA-39


36"x72"x19" Armrest Tub 70 gallons






Model BR-43 36"x72"x19" Oval Tub 68 gallons






42"x72"x20" Armrest Tub 82 gallons






Model BR-46

42"x72"x19½" Tub 82 gallons • Special Order •




Model BR-47

41 ½"x59½"x20" Tub 65 gallons • Special Order •





48"x60"x201/2" Armrest Tub 75 gallons






Model BRA-51/52

48"x711/2"x20" Armrest Tub 95 gallons

• Special Order •




	DIMENSIONS	"A"	"B"	"C"	"D"
Γ	MODEL #				
ſ	BRA-51	71.25"	41"	19.5"	19"
ſ	BRA-52	71.5"	48"	20"	9"




Model BRA-53

53 3/4"x711/2"x22" Armrest Tub 110 gallons

• Special Order •



48"x71"x22" Armrest Tub 95 gallons • Special Order •






Model BRA-56

36"x72"x20" Armrest Tub 68 gallons


• Special Order •



Model BR-61

42"x60"x201/2" Oval Tub 65 gallons


• Special Order •








36"x66"x20" Armrest Tub 75 gallons



Model BRA-66

32"x66"x18¼" Armrest Tub 61 gallons





Available as Air Massage, Whirlpool, Combo and Soaker. Note: Dimensions may vary +- 1/2"

STANDARD TUB FEATURES

- All whirlpool units come equipped with 4, 6, 8 or 11 jets or can be customized to your specifications.
- All whirlpool jets may be color coordinated to your unit with the options of polished brass, chrome, brushed nickel or oil rubbed bronze.
- All whirlpool bathtubs may be equipped with a ¾ hp or 1 ½ hp motor depending on the number and size of jets installed in unit. Our pumps have a limited lifetime warranty.
- 4. All Air Jet units come standard with 18 or 24 air jets and a 1 hp blower.
- Before any units leave our plant, they are carried through a complete testing procedure. All jets must meet optimal performance.

OTHER OPTIONS


- In-Line Heater
- Aroma Therapy
- Tiling Flange
- · Chrom-Aah Therapy Light
- 6-pack Mini Jets
- Cleanway (for sanitizing your tub)
- Water Pillow (neck jets)
- Bath Pillow
- Colors Available: White, Bone and Biscuit

U.S. Whirlpool, Inc. provides next day service on most orders.

- Service and quality are our main objective -




48"x68"x19" Oval Drop-In 82 gallons






Model BR-20

39"x58"x22" Oval Drop-In 65 gallons



Model BR-22

39"x67"x21" Oval Drop-In 82 gallons








44½"x72"x22" Flat Top Drop-In 85 gallons






Model BR-40

41"x69"x22" Drop-In Tub 82 gallons



42"x72½"x24" Armrest Tub 92 gallons


1/4" SMALL ROPE DESIGN AROUND PERIMETER OF BATHTUB





Model BR-59


571/4"x783/4"x22" Tub 105 gallons • Special Order •





Model BR-62


41"x72"x21" Drop-In, Center Drain 82 gallons







59½"x59½"x18½" Corner Tub 75 gallons • *Special Order* •









Model BR-29

60"x60"x20" Corner Tub 85 gallons

• Special Order •




60"x60"x19" Corner Tub 75 gallons






Model BRA-42

60"x60"x21" Armrest Corner Tub 77 gallons



Model BR-49

48"x48"x19" Corner Tub 70 gallons






RAISED HEADREST

591/2"x591/2"x201/2" Armrest Corner Tub (Left hand drain only) 75 gallons

• Special Order •




Model BRA-60

HEART-SHAPED

BOWL


60"x60"x19" Armrest Corner Tub 75 gallons





Model BRA-72

72"x72"x20' Armrest Corner Tub 83-124 gallons




Available as Air Massage, Whirlpool, Combo and Soaker. Note: Dimensions may vary +- 1/2"

RAISED **HEADREST**

FREESTANDING

Model BRF-80


66%"x29½"x22%" 65 gallons






Model BRF-85

67¾"x29½"x29½" 37 gallons



Model BRF-90

59"x31½"x22¾" 48.5 gallons






Available as Soaker only. Waste and Overflow: Chrome Only. Note: Dimensions may vary +- 1/2"

SHOWER PANS ******

FEATURES

- High gloss finish (Acrylic)
- Textured floor surface
- Reinforced with lumber, fiberglass and foam
- Pre-leveled bottom

- 5-year warranty
- Standard color white
- Bone & Biscuit colors with upcharge
- Built in Antibacterial Protection





Single Threshold								
Model	A	В	С	D	Ε			
3232	32"	32"	16"	16"	16"			
3434	34"	34"	17''	17''	17''			
3636	36"	36"	18"	18"	18"			
3642	36"	42"	18"	18"	21"			
3660	36"	60"	18"	18"	30"			
4234	42"	34"	21"	21''	18"			
4236	42"	36"	203/4"	203/4"	17''			
4242	42"	42"	203/4"	203/4"	21"			
4260	42"	60"	21''	21"	30"			
4832	48"	32"	24"	24"	16"			
4834	48"	34"	24''	24''	17''			

Note: Dimensions may vary -/+ 1/2"

Single Threshold								
Model	A	В	С	D	Ε			
4836	48''	36"	24"	24"	18"			
4842	48''	42"	24"	24''	21''			
4848	48''	48''	24"	24''	24"			
5434	54"	32"	27''	27''	17''			
6030L	60"	30"	50''	10''	15"			
6030R	60"	30"	50''	10''	15"			
6032	60"	32"	303/4"	303/4"	16"			
6032L	60"	32"	543/4"	63/4"	16"			
6032R	60"	32"	54"	6"	16"			
6034	60"	34"	30"	30"	17''			
6036	60"	36"	30"	30"	18''			
6042	60''	42"	30"	30"	21''			
Note: Dimensions may vary -/+ 1/2"								



Double Threshold								
Model	Α	В	С	D	Ε			
3636D	36"	36"	18"	18"	18"			
4236DL	42"	36"	21"	21''	17''			
4236DR	42"	36"	21"	21''	17''			
Note: Dimensions may vary -/+ 1/2"								



Neo Angle								
Model	Α	В	С	D	Ε	F	G	
3636N	36"	36"	12"	12"	26"	18"	18"	
4242N	42"	42"	21''	21''	28"	22"	22"	
Note: Dimensions may vary -/+ 1/2"								

Barrier Free								
Model	Α	В	С	D	Ε			
6032 60" 32" 16" 16" 30"								
Note: Dimensions may vary -/+ 1/2"								





FIVE YEAR LIMITED WARRANTY

We warranty to the original purchaser and the original user for a time of five years with original Proof of Purchase that our bathtubs:

• Will be free of manufacturing defects.

Our liability is limited only to repair or replacement of the product at the point of original purchase F.O.B. Factory. We shall not be held liable for any installation cost, labor or damage incurred from removal or reinstallation. This warranty does not apply to products installed in commercial properties (rental properties, motels, hotels, etc.) This warranty does not apply to whirlpool units or any damage relating to installations of the whirlpool system. Your whirlpool system should be covered under a separate warranty.

This warranty will not apply:

- 1. If tub is not installed according to our instructions or not installed according to local building codes and ordinances.
- 2. If moved from original point of installation.
- 3. If proper care and customary cleaning instructions are not followed.
- 4. If bathtub is subjected to abuse, mishandling or accident.
- 5. If shipped outside of the United States.

To all original purchasers of its products, US Whirlpool, Inc.

Warranty its products and motors free from defects in materials and workmanship for a period of five years and limited lifetime warranty on the pump.

Products which fail or become defective during the warranty period, except as a result of freezing, accident, negligence, improper installation, use, or care, shall be repaired or replaced at our option, without charge within 90 days of receipt of defective product, baring unforeseen delays.

U.S. Whirlpool, Inc. shall not be responsible for cartage, removal and/or reinstallation labor, or any other such costs incurred in obtaining warranty replacements.

ACRYLIC CLEANING TIPS

Bathtubs: To properly clean an acrylic bathtub it is recommended to wipe the surface with a damp cloth or sponge, using household soap or liquid detergent. Stubborn dirt or stains may be removed using Clean~Way or equivalents.

DO NOT use any cleaning products containing abrasive solvents since these could damage the acrylic finish. Products like Bon-Ami, Comet, Ajax, Scrubbing Bubbles or Lysol are NOT recommended. Harsh chemicals should NEVER be used on acrylic surfaces. Anything containing alcohol or ammonia is bad for acrylic.

INSTALLATION

Continuous support of tub deck for structural stability is required.

Also recommended: Support bottom of bathtub with solid mortar grout, a high density spray foam or other like materials which can be bought at most supply houses.

Any warranty related problems should be handled through the nearest distributor in your area.

Dimensions may vary + - 1/2 inch

W W W . U S W H I R L P O O L . N E T

P.O. Box 279 | Holly Springs, GA 30142

Phone 770.704.5081 | Toll Free 1.888.269.8375 | Fax 888.279.9112 Email info@uswhirlpool.net